



NORTH AMERICAN STEEL



**KWIKERECT SERIES 6000
BOLTED & BOLTLESS SHELVING**

KWIKERECT SHELVING

STORAGE SYSTEMS



**ECONOMICAL QUALITY
STEEL SHELVING
SYSTEMS FOR OFFICE,
INDUSTRIAL OR
COMMERCIAL USE.**

**BOLTED OR BOLTLESS
(EASILY ADJUSTABLE
COMPRESSION CLIP
TYPE) SHELVING.**

**INDIVIDUAL
ACCESSORIES
AVAILABLE TO MEET
YOUR SPECIFIC
STORAGE NEEDS.**

**ATTRACTIVE, DURABLE
POWDER COAT FINISH.**


**ECONOMICAL WITH INDUSTRIAL STRENGTH AND DURABILITY
CAPABLE OF SUPPORTING 2-TIER MEZZANINE OR CATWALK
VERSATILITY OF MODULAR COMPONENTS AND ACCESSORIES**



OUR STRENGTH IS OUR PRODUCT

KWIKERECT SHELVING

ASSEMBLY COMPONENTS



FEATURES OF BOLTED AND BOLTLESS SHELVING

- Basic Kwikerec unit consists of four offset angle posts, steel shelves, side & back braces and compression clips.
- Bolted and Boltless shelving systems offer strength and durability and are ideal for warehouses and stockrooms.
- Easily assembled and adjusted for changing requirements without dismantling the unit.
- In the Boltless Kwikerec system the shelf is easily snapped between compression clips and posts.
- Shelves are adjustable on 1" centres.
- Flanged shelves are channel formed for strength. Additional shelf reinforcements can be added to increase shelf capacity or for impact resistance.
- For heavy duty applications, welded box shelves are available.
- Solid side and back panels are available to create closed shelving units.
- Shelf dividers allow for multiple storage areas per shelf.
- Baseplates provide neat appearance and prevent dust from collecting underneath units.
- Versatility allows for designing to customer requirements, from light shelving storage to 2-tier high mezzanines.
- Shelving units are finished with rust inhibitor undercoating and durable grey polymer powder coat finish for longevity.

KWIKERECT SHELVING

COMPONENTS

OFFSET POST

Available in sizes 6'3" up to 12'3", in 12 inch increments. Cannot be used as a common post.



BEADED POST

Common beaded post in the front offers full width accessibility to shelves for ease of removal.



SHELF CLIP


Four clips are required Per shelf on intermediate levels.

Top and bottom shelves must be bolted.




FLANGED SHELF

Front and back edges have return bends for easy slide in installation and provide maximum storage.




BOXED SHELF

Front & back edges have channels and corners are welded for heavy duty applications.



ANGLE REINFORCEMENT

Reinforcements increase shelf capacity. They bolt into front and back lip of shelf panel.



SIDE X-BRACE


Use a pair of cross braces on each alternative back and side for open type shelving. Sizes are nominal, specify by shelf depth and width. For units higher than 99", one pair of braces are required for each side and back (priced per pair).



BACK & SIDE PANEL

Use combination of these heights & allow for 2" overlap.

Example:
2 of 39" - Fit 75" Posts
1 of 39" - Fit 87" Posts
2 of 51" - Fit 99" Posts



GUSSET


3" gussets can be used in place of braces.

Each unit requires 8 gussets.




SHELF DIVIDER

Full height dividers are used to segment shelf levels for storage of individual items. Angle bent top, bottom and back, with rolled edge front. Used primarily with closed type shelving.




BASEPLATE

Create a finished look and simplify floor cleaning. Channel construction provides strength and neat appearance.




BASEPLATE (Beaded Post only)

To simplify floor cleaning and provide a clean look. Channel construction provides strength & neat appearance. For use with optional beaded post only.




STANDARD FOOTPLATE (Galvanized)

Foot plates are required on carpet or tiled floor areas, or when lagging to the floor is required.



BEADED FOOTPLATE (Galvanized)

Footplates can be used for posts, either side by side or back to back as one common footplate.



NUTS & BOLTS

5 of 1/4" pan head nuts and bolts are provided per shelf at no additional charge.



KWIKERECT SHELVING

TYPES OF UNITS



OPEN SHELF UNIT

Kwikerect open shelf units provide economical storage space; but have the strength and durability for industrial use.

The Back and Side braces provide added stability and can be alternated, if installed in rows of several units.

Shelving components are finished with rust inhibitor undercoating and a durable grey polymer powder coat finish.



CLOSED SHELVING UNIT WITH BIN BOXES

Back and sides of closed type shelving provide additional stability while giving greater protection to the contents.

This unit is most popular for bin box storage, for small parts storage and picking. It can be used along or in conjunction with other units providing a finished look at the end of rows.



DIVIDER UNIT

Bolted in shelf dividers offer the flexibility to easily separate, organize and identify the locations of small parts and products. Full height dividers are used to segment shelf levels and storage of individual items.

Angle bend top, bottom and back, with folded and flattened front edge. Used primarily with closed type shelving.

Bin divider units can be used individually or in continuous configurations.



MODULAR DRAWER SHELF UNIT

Modular drawers in shelving are usually installed between knee and chest height for contents to be more conveniently reached and for better visibility than in stationary cabinets.

Extra bulk storage space is available – above and below – when placing drawers into shelving unit, requiring only the same floor space as a cabinet.

Full extension drawers provide for more compact and better identified storage plus easier retrieval of small tools / parts.

Drawers can be installed and moved to any level and can be incorporated into your existing 24" deep shelving, using NAS adapter rails.

Features & Benefits:

All extension drawers, installed on roller glides, allow full access to back of the drawer. Adjustable partitions and dividers for precise storage and inventory control are available.

OTHER PRODUCTS FROM NORTH AMERICAN STEEL

ROLLFORMED RACKING



WIDESPAN 4000 SHELVING



EASYUP 5000 SHELVING



EASYUP 7000 SHELVING



With 60 Years

Manufacturing Experience

NORTH AMERICAN STEEL

is the leading name for

Innovative Storage Ideas

NORTH AMERICAN STEEL

300 Hopkins Street, Whitby, Ontario Canada L1N 2B9

Phone: (905) 668-3300

Toll Free: (800) 735-4153

Fax: (905) 668-5477

Email: sales@naseco.ca

Web: www.naseco.ca

NORTH AMERICAN STORAGE

2103 - 7th Street, Nisku, Alberta Canada T9E 7Y3

Phone: (780) 955-2444

Toll Free: (800) 241-8968

Fax: (780) 955-3463

Email: sales@naseco.com

Web: www.naseco.com